



# MAHARSHIDAYANANDSARASWATI UNIVERSITY, AJMER

No.F.2( )GAD/MDSU/2025/2231

Dated: 9-1-25


## NOTICE INVITING TENDER FOR FURNITURE


**NIT-NO :**

Sealed Tenders are invited by the Maharshi Dayanand Saraswati University, Ajmer from Manufacturers or their Authorized Dealers of standard /Authentic Brand / make. **"Tender for Supply and Installation of Furniture for MDSU Office, Auditorium & Conference Hall at Maharshi Dayanand Saraswati University Ajmer" from MSME only.**

The Bid shall only be submitted through [eproc.rajasthan.gov.in](http://eproc.rajasthan.gov.in) online tendering system and also be downloaded from [sppp.rajasthan.gov.in](http://sppp.rajasthan.gov.in) and [www.mdsuajmer.ac.in](http://www.mdsuajmer.ac.in) The interested bidders shall have to be enrolled/registered with portal of [eproc.rajasthan.gov.in](http://eproc.rajasthan.gov.in) for participating in the Biding process.

Estimated Cost	:	Rs 250.00 Lacs
Earnest Money	:	Rs 5.00 Lacs
Cost of Tender form	:	Rs 5000/-
Tender Details on Site	:	13-01-2025
Tender download start date	:	13-01-2025
Pre-Bid Clarification Date	:	20-01-2025
End Date of submission of online Tender	:	01-02-2025 4.00 P.M.
Date of Submission of Hard copy Document	:	03-02-2025 2.00 P.M.
Opening Date of Tender	:	03-02-2025 4.00 P.M.

  
REGISTRAR  
MDSU Ajmer




# Maharshi Dayanand Saraswati University Ajmer


## Detailed Tender Notice

### Invitation to Tender

The Registrar Maharshi Dayanand Saraswati University Ajmer invites tender for the works of **Supply and Installation of standard / Authentic Brand / make of Furniture for MDSU Office, Auditorium & Conference Hall at Maharshi Dayanand Saraswati University Ajmer**"

1. The time allowed for execution of the work is 90 days. Bank Guarantee/ Earnest money of Rs 5,00,000/- (Rs Five Lacs Only) (interest free) and tender fee of Rs 5000/- ( Five Thousand Only) shall be deposited in the form of Demand Draft/ Banker Cheque in favour of Registrar, Maharshi Dayanand Saraswati University Ajmer payable at Ajmer and RISL Fee Rs. 2000/- shall be deposited in the form of Demand Draft/Banker Cheque in favour of Managing Director, RISL, Jaipur during submission of Tender document.
2. Manufacturer or their Authorized dealers should have the following requirements to make them eligible to qualify in the technical bid. Joint ventures are not accepted.
  - (a) The applicant Bidders should have satisfactory completed **three similar** works (at least one of them in State Government/ State Autonomous Body/ State Undertaking Body/ Rajasthan State Government Department/ Educational Institute) each costing **Rs 50 Lacs** OR **two works** each costing **Rs 75 Lacs** OR **one work** costing **Rs 100 Lacs** of similar nature during the last three years ending **31st March 2024**
  - (b) The Bidder Should have average **annual financial Gross turnover of Rs 100 Lacs** during the **last three years** ending **31st March 2024**. The same shall be duly certified from Chartered Accountant.
  - (c) The Bidder should not have incurred any loss in more than **two years** during the **last three financial years** ending **31st March, 2024**. The same shall be duly certified from Chartered Accountant.
  - (d) **Similar or Similar Nature of work means** Supply & Installation for Furniture in any Government Department/ Educational Institute/ Autonomous Bodies of State.

- 
- (e) Manufacturer Authorization (MAF) letter is to be furnished with the tender if authorized dealer of the reputed manufacturer for participating in the tender on behalf of Original Manufacturer.
- (f) The manufacture or his authorized dealer shall have their office in Rajasthan State for providing better services. The bidder shall submit satisfactory documentary proof of the same.
3. Application for Tender supported by prescribed annexure and Bank Guarantee/ Earnest money should be submitted in sealed envelope duly super scribed with the name of the firm, work, name & phone nos. of the applicant bidder/firm and due date of opening. Tender will be received upto at 01.00 PM on ..... in the office of the Registrar, Maharshi Dayanand Saraswati University Ajmer and it will be opened on the same day at 03.00 PM. Earnest money of Rs 5,00,000/- (Rs Five lacs only) (interest free) should be in the form of Demand Draft/ Bank Guarantee in favour of Registrar, Maharshi Dayanand Saraswati University Ajmer payable at Ajmer.
4. The prescribed tender documents should be submitted in one sealed envelope duly superscripted with "Tender for Supply and Installation of Standard/Authentic Brand Furniture for **Maharshi Dayanand Saraswati University Ajmer**" This sealed envelope should contain 3 sealed envelopes marked A, B & C prescribed as under :-
- (a) Envelop A containing tender form fee of Rs 5000/- in the form of Demand Draft/ Banker Cheque and Eanrest Money of Rs 5,00,000/- in the form of Demand Draft/ Banker Cheque in favour of Registrar, Maharshi Dayanand Saraswati University Ajmer. Tender shall be rejected if the Tender Fee/ Earnest money are not found in proper order:-
- (b) Envelop B containing the Technical Bid along with the supporting documents.
- (c) Envelop C containing the Financial Bid
- (d) Envelop D containing envelop A, B & envelop C.
5. The complete tender document is to be signed with seal & is to be placed in the technical bid **envelop B** along with the necessary required documents.
6. If any information furnished by the applicant is found to be incorrect at a later stage, he shall be liable to be debarred from tendering/ taking up of work in Maharsh Dayanand Saraswati University Ajmer. The Maharshi Dayanand




Saraswati University Ajmer reserves the right to verify the particulars furnished by the applicant independently.

7. The Maharshi Dayanand Saraswati University Ajmer reserves the right to reject any or all prospective applicants Bidders without assigning any reason thereof and to restrict the list of offenders to any number deemed suitable for it.
8. The Bid shall be treated as 3 Bid System. The Technical Bid shall be opened for applicants/Bidders whose Tender Fee/ Earnest money is found in order. Financial Bid shall be opened for the Qualified bidders only who have cleared the Technical Bid.
9. The bidder will submit the GST clearance Certificate.
10. The Bidder shall be registered manufacturer/DEM Bidder/ manufacturer's authorized dealer and specialized in the trade of furniture.

Registrar


Maharshi Dayanand Saraswati University Ajmer



## INFORMATION & INSTRUCTIONS FOR APPLICANTS / BIDDERS

### 1. General :

- 1.1 All information called for in the enclosed Tender forms should be against the relevant columns at the right place. If for any reason, information is furnished on a separate sheet, this fact should be mentioned against the relevant column. Even if no information is to be provided in a column, a "Nil" or "No such case" entry should be made in that column. If any particulars/ query is not applicable in case of the applicant, it should be stated as "not applicable". The applicants are cautioned that not giving complete information called for in the application forms or not giving it in clear terms or making any change in the prescribed forms or deliberately suppressing the information may result in the applicant bidder being summarily disqualified. Applications made by telegram or telex or fax or through e-mail and those received late will not be entertained.
- 1.2. The application should be type-written; the applicant should sign each page of the application/Tender document.
- 1.3 Overwriting should be avoided. Correction, if any, should be made neatly by crossing out, signed and re-writing. Use of fluid (Whitener) is not allowed and such tenders shall be rejected. Pages of the tender document are numbered. Additional sheets, if any added by the applicant bidder, should also be numbered by him. They should be submitted as a package with signed letter of transmittal.
- 1.4 The applicant may furnish any additional information which he thinks is necessary to establish his capabilities to successfully complete the envisaged work. He is, however, advised not to furnish superfluous information. No information shall be entertained after submission of Tender document unless it is called for by the Maharshi Dayanand Saraswati University Ajmer. In case if any information is left, the bidder shall supply it before the closing date of the Tender.
- 1.5 Any information furnished by the applicant found to be incorrect either immediately or at a later date, would render him liable to be debarred from tendering/taking up of the work in Maharshi Dayanand Saraswati, Ajmer.
- 1.6. The tender document in prescribed form, duly completed and signed along with earnest money, should be submitted in a sealed cover. The sealed cover superscripted "Tender for Supply and Installation of Standard/Authentic Brand of make of Furniture for MDSU Office, Auditorium & Conference Hall at Maharshi Dayanand Saraswati University Ajmer shall be received in the office of The Registrar, Maharshi Dayanand Saraswati University Ajmer up to 01.00 PM on date..... Documents submitted in connection with tender confidential and will not be returned.
- 1.7 Prospective applications may request clarification of the project requirements and Tender document from the Maharshi Dayanand Saraswati University Ajmer



**2. Definitions :**

- 2.1 In this document the following words and expressions have the meaning hereby assigned to them.
- 2.2 Owner/ Employer: Means the Maharshi Dayanand Saraswati University Ajmer acting through the Registrar, Maharshi Dayanand Saraswati University Ajmer.
- 2.3 Applicant : Means the individual, proprietary firm, firm in partnership, limited company private or public or corporation. Joint ventures are not allowed.
- 2.4 "Year" means "Financial Year" unless stated otherwise.

**3. Method of Application :**


- 3.1 If the applicant is an individual, the application shall be signed by him above his full type- written name and current address.
- 3.2 If the applicant is a proprietary firm, the applications shall be signed by the proprietor above his full typewritten name and the full name of his firm with its current address.
- 3.3 If the applicant is a firm in partnership, the application shall be signed by the all the partners of the firm above. Their full type written names and current addresses or alternatively by a partner holding power of attorney for the firm. In the latter case a certified copy of the power of attorney should accompany the application. In both cases, a certified copy of the partnership deed and current addresses of all the partners of the firm should accompany the application.
- 3.4 If the applicant is a limited company or a corporation, the application shall be signed by a duly authorized person holding power of attorney for signing the application accompanied by a copy of the power of attorney. The application should also furnish a copy of the Memorandum of Articles of Association duly attested by a Public Notary.

**4. Final Decision Making Authority**

The Vice Chancellor, Maharshi Dayanand Saraswati University, Ajmer reserves the right to accept or reject any application and to annul the tender process and reject all applications at any time, without assigning any reason thereof or incurring any liability to the applicants.

**5. Site Visit**

The applicant is advised to visit the site of work at his own cost, and examine it and its surroundings to himself collect all information that he considers necessary for proper assessment of the prospective assignment.



## 6 INITIAL CRITERIA FOR ELIGIBILITY IN FINANCIAL BID.

- 6.1 The applicant should have satisfactorily completed three similar works (at least one of them in Central Government/ Central Autonomous Body/ Central PSU/ Central Undertaking Body/ State Government Department/ Educational Institute) each costing Rs 50 Lacs OR two works each costing Rs 75 Lacs OR one work costing Rs 100 Lacs of similar nature during the last three years ending last day of March, 2024. For this purpose, cost to the work shall mean gross value of the completed work including the cost of materials supplied by the Government/ Client, but excluding those supplied free of cost. Similar or Similar Nature of work shall be "Supply & Installation of Furniture in Government Department/ Educational Institute". In Case, the applicant is an authorized dealer, the experience certificate shall pertain to the applicant and not the manufacturer.
- 6.2 The bidder shall provide copies of work orders as documentary proof for having executed similar works or completion certification issued by the client. However, decision with regard to eligibility of the applicant(s) will be decided by the Maharshi Dayanand Saraswati University Ajmer only, after perusing and necessary documents provided by the applicant have been examined.
- 6.3 The manufacturer should have following valid certifications, ISO 9001:2000, ISO 14001,. In case the applicant is authorized dealer, the above certificate shall be obtained from the manufacturer and submitted with the tender document.
- 6.4 The applicant should have an average annual financial turn over (gross) of Rs 100 Lacs during the last three years ending 31st March 2024 and a Chartered Accountant should duly audit/ certify the financial turnover. Year in which no turnover is shown would also be considered for working out the average.
- 6.5 The applicant should not have incurred any loss in more than two years during the last three years ending 31st March 2024 duly certified by the Chartered Accountant.
- 6.6 The manufacturer or his authorized dealer shall have their office in Ajmer division (which shall be at least 3 year old as on 31.03.2024) for providing better services. The bidder shall submit satisfactory documentary proof of the same.

## 7. EVALUATION CRITERIA FOR TENDER

- 7.1 For the purpose of tender, applicants Bidder will be evaluated in the following manner :

✓

7.1.1 The duly filled tender document should be submitted to the Registrar, Maharshi Dayanand Saraswati University Ajmer before the last date .....at 1:00 PM

7.1.2 The applicant should have submitted the earnest money of Rs 5,00,000/- (Rs Five lacs only) (interest free) in the form of D.D./Banker Cheque as well as the tender document fee (non refundable) of Rs 5000/- ) in the form of D.D./Banker Cheque in favour of Registrar, Maharshi Dayanand Saraswati University Ajmer payable at Ajmer.

7.1.3 The technical evaluation committee shall evaluate the application on the criteria given below :

FY	2021-22	2022-23	2023-24
Gross Turnover			
Profit/Loss			

7.1.4 Even though an applicant may satisfy the above requirements, Maharshi Dayanand Saraswati University Ajmer would be liable to disqualify the Tender if :


- (i) Created **misleading information or false representation or deliberately suppressed information** in the Tender Document, statements and enclosures required in the pre-qualification document are misleading or false,
- (ii) Record of poor performance such as abandoning work, not properly completing the contract, or financial failures/ weakness etc.

7.1.5 The tender of bidders shall be opened on ..... at 03.00 PM. The bidders or their representative are expected to be present at the time of opening of the tender.

## 8. AWARD CRITERIA :

- (a) The Maharshi Dayanand Saraswati University Ajmer reserves the right to award the work without being liable for any damages or obligation to the applicant,
  - (i) The Maharshi Dayanand Saraswati University Ajmer shall have the right at any time, by written notice, in the form of an amendment





order, to make any changes it deems necessary, including, but not limited to, changes in specifications, design, delivery, testing methods, packing or destination. If any such required, changes cause an increase or decrease in the cost of or the time required for performance, an equitable adjustment shall be made in the contract price or delivery schedule, or both. Any claim by the Vendor/Firm/Bidder for adjustment under this clause shall be deemed waived unless asserted in writing within ten (10) days from receipt by the Vendor/Firm/ Bidder of notice of change (amendment order). Price increase, extension of time for delivery and change in quantity shall not be binding on the Maharshi Dayanand Saraswati University Ajmer unless sufficiently justified by a vendor and accepted by the Maharshi Dayanand Saraswati University Ajmer in a form of amendment/ change Order issued and signed by the Maharshi Dayanand Saraswati University Ajmer.

- (ii) The tender shall be awarded only to Single Party. The acceptance of a tender will rest with the Maharshi Dayanand Saraswati University Ajmer who do not bind themselves to accept lowest tender and reserve the right to themselves the authority to reject any or all the tenders received without assigning any reasons thereof. They also reserve the right of accepting the whole or any part of the tender and the Tender shall be bound to perform the same at the rates quoted. All tenders in which any of the prescribed conditions are not fulfilled or are incomplete in any respect or if there is any correction not duly signed and dated by the Tenderer are liable to be rejected. For this purpose tenderer shall quote rates for various items, which will be self sufficient to meet their whole, costs for executing any/ every item.
- (b) The Maharshi Dayanand Saraswati University Ajmer shall award work order for the entire quantity. However, the successful bidder shall be issued the time schedule for delivery/ execution for the work in writing. The offer shall remain valid for the Current Financial Year. The Maharshi Dayanand Saraswati University Ajmer can also place subsequent orders on these rates during the same Financial Year.
- (c) The successful bidder shall ensure delivery and installation of material within 90 of written order to do so.
- (d) Any effort on the part of the applicant or his agent to exercise influence or to pressurize the employer would result in rejection of his application. Canvassing of any kind is prohibited.
- (e) The Bank Guarantee/ Earnest Money of all unsuccessful bidders shall be returned to them. The Earnest Money of the successful bidder is liable to be forfeited, if the bidder fails to execute the work.

## 9. RATES AND TAXES

- (a) The agency shall quote their rates in Rupees which shall include price, excise duty, transportation, Loading, unloading & installations.
- (b) The applicant shall be quoting their rates without GST.

- h  
10
- (c) GST will be deducted by the Employer as per rule applicable at source.
  - (d) The rates must be quoted in both words and figures.

## 10. PAYMENTS

### Term of payment :


- (i) 60% payment will be made against proof / advise of dispatch and 30% payment will be paid on receipt of the material received in Maharshi University Ajmer premises in good condition and rest 10% payment will be made after placement of furniture with inspection by the Maharshi Dayanand Saraswati University Ajmer Committee with satisfaction report.
- (ii) In case of disputed items, 10% of the amount shall be with held and will be paid on settlement of the dispute.

## 11. DELAY CLAUSE :

- (i) The time specified for delivery and placement in the supply order shall be deemed to be the essence of the contract and the contractor shall arrange supplies and installation within the period of receipt to the firm order from the Maharshi Dayanand Saraswati University Ajmer.
- (ii) **Liquidated damages :-** In case of extension in the delivery period within liquidated damages, the recovery shall be made on the basis of following percentages of value of Stores which the contractor has failed to supply :-
  - 1 (a) Delay up to one fourth period of the prescribed delivery period 2.5%
  - (b) Delay exceeding one fourth but not exceeding half of the prescribed period - 5%
  - (c) Delay exceeding half but not exceeding three fourth of the prescribed period - 7.5%
  - (d) Delay exceeding three fourth of the prescribed period - 10%
- 2. Fraction of a day in reckoning period of delay in supplies shall be eliminated if it is less than half a day.
- 3. The maximum amount of liquidated damages shall be 10%
- 4. If the supplier requires an extension of time in completion of contractor supply on account of occurrence of any hindrance, he shall apply in writing to the authority, which has placed the supply order, for the same immediately on occurrence of the hindrance but not after the stipulated date of completion of supply.
- 5. Delivery period may be extended if the delay in the supply of goods in case on account of hindrances beyond the control of the applicant.

## 12. WARRANTY :

- (a) All products/ material shall carry a warranty of 12 months against any manufacturing defect in the product.

- 
- (b) In case of any manufacturing defects found in the product, the same should be repaired and made good as per model.

**13. RECOVERIES :**


Recoveries of liquidated damages, short supply, breakage, rejected articles shall ordinary be made from bill. Amount may also be deducted case of failure in satisfactory replacement by the supplier along with amount of liquidated damages shall also be recovered from his dues and security deopt available with the Maharshi Dayanand Saraswati University Ajmer. In case recovery is not possible recourse will be taken under Rajasthan PDR Act or any other Law in force.

**14. FORCE MAJEURE :**

The Company shall not be liable if, and to the extent, that the performance or delay in performance of any of its obligations under circumstance beyond the reasonable control of the Company, including but not limited to, fire floods, explosions epidemics accidents, acts of God, events or occurrences.

15. All legal proceedings, if necessary arise to the organization may be any of the parties (Maharshi Dayanand Saraswati University Ajmer or Contractor) shall have to be lodged in courts situated in Ajmer jurisdiction of Rajasthan and not elsewhere.

Registrar,  
Maharshi Dayanand Saraswati University, Ajmer



**PREQUALIFICATION INFORMATION  
LETTER OF TRANSMITTAL**

FROM :

To,

The Registrar,  
Maharshi Dayanand Saraswati University  
Ajmer

Subject : Submission of tender application for the work of Supply and Installation of Standard / Branded Furniture for Office, Auditorium & Conference Hall at Maharshi Dayanand Saraswati University, Ajmer

Sir,

Having examined the details given in tender press Notice and tender document for the above work, I/we hereby submit the tender document and other relevant information.

1. I/We hereby certify that all the statements made and information supplied in the enclosed forms A to C and accompanying statement are true and correct.
2. I/We have furnished all information and details necessary for tender and have no further particular information to supply.
3. I/We authorize the Maharshi Dayanand Saraswati University Ajmer to approach individuals, employees, firms and corporation to verify our competence and general reputation.
4. I/We submit the following documents in support of our suitability, technical know how and capability for having successfully completed the following works :

**NOTE :** Mention here the documents being enclosed with the application. The documents should pertaining to supply/ Installation of Furniture in Government Building/ offices and should include work orders and completion certificates for such works.

5. **Requisite Bank Guarantee/ earnest Money of Rs...../- in appropriate form as mentioned in the tender document are also enclosed herewith.:**

Enclosures.

Seal of applicant

signature(s) of Applicant (s) Date of submission

FORM "A"

**FINANCIAL INFORMATION**

- I. **Financial Analysis :** Details to be furnished duly supported by figures in balance sheet/ Profit & Loss account for the last three years duly certified by the Chartered Accountant, as submitted by the applicant to the income Tax Department (Copies to be attached)

FY	2021-22	2022-23	2023-24
Gross Turnover			
Profit/Loss			

- II. **The following certificates are enclosed :**

- (a) PAN No
- (b) GST No

Signature of Applicant (s)

CERTIFIED BY THE CHARTERED ACCOUNTANT

Signature of Chartered Accountant with Seal

FORM "B"

**DETAILS OF ALL WORKS OF MODULAR FURNITURE/ CLASS/AUDITORIUM COMPLETED DURING THE LAST THREE YEARS ENDING LAST DAY OF THE MONTH March 2024**

Sl No.	Name of Project and Location	Name of the Organization	Cost of Work in Lacs	Date of Commencement as per the Contract	Stipulated date of Completion	Actual date of Completion	Litigation/arbitration pending/ in progress with details
1							
2							
3							
4							
5							
6							
7							
8							
9							
10							


\*Indicate gross amount claimed and amount awarded by the Arbitrator

**Notes 1 to 4**

1. Please mention all works executed equal to or above the qualifying amount.
2. For stipulated date of completion, submit copy of work order.
3. For actual date of completion, submit copy of completion certificate from employer.
4. Please clearly indicate the works (in the above from) on the basis of which prequalification is being sought.

**Signature of Applicant(s)**

FORM "C"



**STRUCTURE & ORGANISATION**

1. Name & Address of the Applicant Firm :
2. Telephone No/Telex No/Fax No. :
3. Legal status of the applicant (attach copies of original document) Defining the legal status
  - (a) An Individual
  - (b) A Proprietary firm
  - (c) A firm in partnership
  - (d) A limited company or Corporation
4. Since when the applicant has been in business. Provide documentary proof.
5. Particulars of registration with various Government bodies (attach attested photocopy) Organization/Place of registration & registration No.
  - (a)
  - (b)
  - (c)
  - (d)
6. Name and Titles of Directors & Officers with designation to be concerned with this work.
7. Designation of individuals authorized to act for the organization.
8. Was the applicant ever required to suspend the works for a period of more than six months continuously after award of work. If so give the name of the project and reasons of suspension of work.
9. Has the applicant, or any constituent partner in case of partnership firm, ever abandoned the awarded work before its completion? If so, give name of the project and reasons for abandonment.
10. Has the applicant, or any constituent partner in case of partnership firm, ever been debarred/ black listed for tendering in any organization at any time? If so, give details.
11. Has the applicant or any constituent partner in case of partnership firm, ever been convicted by a court of law? if so, give details.
12. Does the applicant have necessary software for preparation of Architectural Plans. 3D views etc if so, mention the names of the software available.
13. Any other information considered necessary but not included above

**Signature of Applicant (s)**

## BID DOCUMENT FORM

Name of work : Supply and placement of furniture at Auditorium (Satyarth Sabhagar)

1. Name & Full address of the firm submitting the bid along with Tel. No., Fax No. & E-Mail/Mobile Number:  
M/S .....  
.....  
.....  
Mobile No. ....  
Email ID .....
2. Address to: - Registrar, Maharshi Dayanand Saraswati University, Ajmer  
(E-mail:-registrarmdsu@gmail.com)
3. Reference -Bid Notice No. .... dated .....
4. The Bid fee is Rs. 5000/- in favour of Registrar, Maharshi Dayanand Saraswati University, Ajmer
5. Bid Earnest Money (EMD) is Rs.5,00,000/- (Rs-Five Lacs) in favour of Registrar, Maharshi Dayanand Saraswati University, Ajmer
6. Bid Processing fee of Rs. 2000 in favour of MD, RISL, Jaipur as per tender notice vide separate demand drafts.
7. All documents required as per bid documents are enclosed.
  8. Goods will be delivered within the stipulated delivery period from the date of the supply order at Auditorium (Satyarth Sabhagar) Maharshi Dayanand Saraswati University, Ajmer on the designated place mentioned in the work order.
9. A sample of furniture will have to be made available in the University on demand after technical evaluation.
10. Penalty of late delivery will be deducted as per applicable GF & AR. rules
11. If the supply is not satisfactory, the contract can be cancelled by giving 15 days' notice period to the firm. University will have full right to forfeit the security amount.
12. The firm will adopt all safety measures /precautions while executing the supply. In case of any accident /causality of any personnel, involved in supply the complete responsibility will be borne by the firm himself and University will not be held responsible for any claim/compensation.
13. The Supplier shall ensure the quality of supplied material used in the supply as per specification given in the order. If inferior quality material is found, the University shall not make any payment to the Firm.



14. In case of supply of any defective material or substandard material, the materials will be rejected & it will be the responsibility of the supplier for taking back & replacing the rejected materials at their own cost. In case of non-lifting of such rejected materials within reasonable time offered by the office, it will have the right to suitably dispose off the same and forfeit the amount.
15. If any delay/deficiency occurred by the firm in supply of items, penalty as decided by the University shall be imposed. It will be in addition to the University's right to forfeit the security, cancel the contract and black list the firm from further participation in bidding.
16. Bidder's offer is liable to be rejected if they don't submit any of the certificates/documents sought in the Bid Document.
17. Quantity of items can be increased/decreased/cancelled. University is competent to accept/refuse the Tender/Tenders without quoting any reason thereof.
18. The bidder must be registered for at least 2 years. A photocopy of the registration certificate has to be attached with the tender.
19. If the tenderer has any doubt regarding any condition/item's specification can be obtained by contacting the office on any working day up to one day before the last date of submission of tender.
20. The tenderer should ensure that all the required documents, as mentioned in this bidding document, are submitted along with the bid and in the prescribed format only. Non submission of the required documents or submission of the documents in a different format/content may lead to the rejections of the bid proposal submitted by the bidder.
21. I/We agree to abide by all the Terms & Conditions mentioned in Tender Notice No.....dated..... issued by the Department and also agree to further Terms & Conditions of the said tender notice given in the attached sheets (all the pages of which has been signed with stamp by me/us in token of my/our acceptance of the terms & conditions mentioned therein).

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**

Maharshi Dayanand Saraswati University, Ajmer  
Ajmer -305001, Rajasthan, India  
(E-mail:-registrarmdsu@gmail.com)

**Fill in the blank and on which page DD enclosed and other information by tenderer**

**Bid Notice No.---/2024-25 (e-tender)**

**Check list for Furniture**

S. No.			Particular	Page No.
1.	Earnest Money	DD No.:		
2.	In Favour of Registrar Maharshi Dayanand Saraswati University, Ajmer	Date		
		Bank		
		Amount		
3.	Bid Fee (In Favour of Registrar, Maharshi Dayanand Saraswati University, Ajmer)	DD No.:		
		Date		
		Bank		
4.	Bid Processing Fee (In favour of MD, RISL, Jaipur)	Amount		
		Date		
		Bank		
5.	Bidder Financial turnover certificate FY- 2021-22 2022-23, 2023-24 issued by CA having Annual turnover of 1.5 crore	Amount		
		2021-22		
		2022-23		
6.	OEM Financial turnover certificate FY 2021-22, 2022-23, 2023-24 issued by CA having average turnover of 3-Crore	2023-24		
		2021-22		
		2022-23		
7.	Tender Terms & Condition SR—16 signed			
8.	Tender Terms & Condition duly signed			
9.	Declaration by the tenderer (SR— 11)			
10.	GST Registration Certificate			
11.	GST Clearance Certificate			
12.	GST Declaration (Ann-2)			
13.	Technical Specification Sheet with all required certificates (Ann-3)			
14.	Price Charging Certificate (Ann-4)			
15.	Format for Non-Black listing of bidder on NJS of Rs. 100/- (Ann-5)			
16.	Annexure A, B, C, D duly signed			
17.	Literature/Leaflet/PAN Card/Catalogue etc.			
18.	OEM/OEM Authorization Certificate (Ann- 6)			
19.	Other Points and documents as desired in bid documents			
<b>Cover— II Financial Bid/ Price Bid/BOQ.</b>				
1.	BOQ (Ann-1 Price quoted of the material offered in Price bid / BOQ/ all item price to be quoted by bidder, partially quoted offer will not be considered.			

Notice: All Column should be filled compulsory by Tenderer.

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**

**BOQ**

S.No.	Description N0. (Technical Specification as per Annexure-3) -	Qty.	Unit Rate	Total Amount (incl of all charges) excluding GST
1	Auditorium chair for balcony first Floor	190 Nos.		
2	Auditorium chair for Ground Floor	517 Nos.		
3	2- Seater Sofa for Auditorium	28 Nos.		
4	Officer table for staff	2 Nos.		
5	Officer high back chair	2 Nos.		
6	Officer visitor chair	4 Nos.		
7	Metal sliding storage unit with wooden top	2 Nos		
8	Tracking Camera	1 Nos.		
9	Interactive Panel	1 Nos.		
10	Floor Carpet	750 Sq. Mtr.		
11	Table for Green Room and back stage arrangement Room	10 Nos		
12	Visitor Chair for green room	24 Nos.		
13	Dias wooden chair high back	6 Nos.		
14	Wooden Coffee table for dias	3 Nos.		
15	Wooden podium with Mic system	2 Nos.		

**Terms & Conditions:**

- 1) All the brochure/information/ Security features regarding furniture must be attached with the BID only.
- 2) The rates will be inclusive of all charges i.e./installation/freight/postage/media charges (if any), excluding GST.
- 3) Bidder must give his acceptance of these terms and conditions.
- 4) Delivery must be completed within 90 days at Auditourim Satyarth Sabhagar, Maharshi Dayanand Saraswati University, Ajmer after issuance of supply order by the Registrar, Maharshi Dayanand Saraswati University, Ajmer
- 5) Penalty for late delivery will be deducted as per applicable GF & AR rules.

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**

**SPECIAL TERMS AND CONDITIONS**

**TECHNICAL BID: - To be uploaded on E-PROC**

It should contain:

- a. Scanned copies of DD's of Bid fee, Bid processing fee & Bid Earnest Money (EMD) and its required to submit the same in original in a sealed envelope along with Non Judicial Stamp of Rs 100/- of Annex-5 at the Registrar Office, Maharshi Dayanand Saraswati University, Ajmer
- b. Scanned copies of Bid document form along with Conditions of tender (SR-16) & Special Terms & Conditions duly signed and sealed.
- c. GST clearance certificate (as per condition No. 4 of SR-16), PAN, GST registration certificate and GST declaration **(as per Annexure 2)**
- d. All the technical specification, certificates required and details of the tendered item and technical specification in tabular form should be submitted as indicated at Annexure 3.
- e. Price charging certificate as per **(Annexure 4)**
- f. Scanned copy of Non-Blacklisting of Bidder on Non-Judicial Stamp Paper. **(Annexure-S)**
- g. Bidder should be authorized by the Original Equipment Manufacturer (OEM) for participation in the bid.
- h. Satisfactory performance certificate of Govt. Org/Autonomous body for whom the Bidder has undertaken such work during last three years.
- i. Declaration by the tenderer (SR-11).
- j. Annexure A, B, C & D duly signed and seal.
- k. Bidder turnover certificate of FY 2021-22, 2022-23 & 2023-24 issued by CA.
- l. OEM turnover certificate of FY 2021-22, 2022-23 & 2023-24 issued by CA.
- m. Any other documents which the bidder wants to submit and/ or any document as per tender.
- n. The Firms to submit the technical specification 'In Tabular form by incorporating all Individual technical specification by mentioning Yes/No and Positive or Negative Deviation, if any, with complete details, Incomplete Technical Bids will not be considered at all. The firms to upload brochures/leaflet/literature with the documents.

In absence of the above or wrongly placing the required documents in any other envelope or not mentioning the desired information at the specified place/column, the bid will not be considered and will be rejected.

**FINANCIAL BID: -**

**The Financial Bid is to be submitted online (e-proc) as desired in the attached financial documents/BOQ:**

1. Price bid / BOQ Details of Price quoted of the material offered in Price bid /BOQ/ all item price to be quoted by bidder, partially quoted offer will not be considered.

I/We have carefully read and understood above special terms and conditions of the tender and abide by them.

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**

**"DECLARATION BY THE TENDER" (SR. 11)**

I/We declare that I am ..... / ..... / we are bona-fide Manufacture/  
Whole Sellers/Sole Distributors/Authorized Dealer/dealers/Sole Selling/Marketing Agent in the  
Goods/Stores/equipment's for which I/We have Tendered. (STRIKE OFFWHICHEVER IS NOT  
APPLICABLE).

If, this Declarations is found by you incorrect then without prejudice to any other action that may  
be taken, My/Our Security may be forfeited in Full and the Tender, if any to the extent accepted may be  
cancelled.

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**



Annexure-2

**" G.S.T. DECLARATION "**

I, certify that the goods on which G.S.T. has been charged have not exempted under the G.S.T. Act, or the Rules made there under and the amount charged on account of G.S.T. is not more than what is payable under the current provisions of the G.S.T. act. or the Rules made there under.

Certified that we M/s ..... are registered as Dealer in the ..... (State or Union Territory) under G.S.T. Registration No. ....

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**

  
  
**Annexure-5**

**FORMAT FOR NON-BLACKLISTING OF SUPPLIER**

I/ We Manufacturer/partner/Authorized Distributor/Agent (strike out which is not applicable) of (Supplier) .....do hereby declare and solemnly affirm that the individual/firm/company is:

- a) not be insolvent, in receivership, bankrupt or being wound up, not have its affairs administered by a court or a judicial officer, not have its business activities suspended and must not be the subject of legal proceedings for any of the foregoing reasons;
- b) not have, and their directors and officers not have been convicted of any criminal offence related to their professional conduct or the making of false statements or misrepresentations as to their qualifications to enter into a procurement/bid contract within a period of three years preceding the commencement of the procurement/bidding process, or not have been otherwise disqualified pursuant to debarment proceedings;
- c) not have a conflict of interest in the procurement/bid in question as specified in the bidding document.
- d) comply with the code of integrity as specified in the bidding document.
- e) not have been black-listed by any government or any government statutory agency.
- f) not sublet the contract, if awarded.
- g) have submitted only one bid only.

**Deponent**

**Address .....**

I/ We hereby solemnly declare and affirm that the above declaration is true and correct to the best of my knowledge and belief. No part of it is false and nothing has been concealed.

**Deponent**

**Dated: .....**

**(Note: To be furnished on non-judicial stamp paper duly attested by the Notary Public)**


An affidavit to that effect on Non-Judicial stamp paper of Rs.100/— duly notarized must be enclosed with the technical bid in prescribed format. The proforma of the affidavit is attached with the tender as

*Annexure — 5*





ANNEXURE-6



**Authorization certificate to be submitted by Principal manufacturer**

It is certified that M/s ..... (Name & address of tenderer) is our authorized Distributer/ Dealer. They are authorized to submit tender for .....(Name of item) to Registrar, Maharshi Dayanand Saraswati University, Ajmer against their Tender Notice No ..... Dated- .....on behalf of us.

The furniture is guaranteed for the period as mentioned in tender and during the guarantee period the authorized Distributor/Dealer shall replace the parts or rectify any manufacturing defect found in the furniture. They are also responsible for after sale-service during the life time of furniture. In case of change of authorized Distributor/ Dealer the new authorized Distributor/Dealer will be responsible for guarantee and after sale- service. In case of failure, we will be responsible for providing after sale service.

*Note: - This authorization certificate should be typed & signed with Contract person Telephone Number, Mobile Number, Email Address by the principal manufacturer on his original letter pad and scanned copy of which must be uploaded with tender otherwise concerned item of the tender will not be considered for technical evaluation.*

**Signature of Principal Manufacturer  
with rubber stamp**

## Annexure A:

### Compliance With the code of integrity and No Conflict of Interest

Any person participating in a procurement process shall-

- a) Not offer any bribe, reward or gift or any material benefit either directly or indirectly in exchange for an unfair advantage in procurement process or otherwise influence the Procurement process.
- b) Not misrepresent or omit that misleads or attempts to mislead so as to obtain a financial or other benefit or avoid an obligation.
- c) Not indulge in any collusion, Bid ragging or anti—competitive behaviour to impair the transparency, fairness and progress of the procurement process.
- d) Not misuse any information shared between the procuring Entity and the Bidders with an intent to gain unfair advantage in the procurement process.
- e) Not indulge in any coercion including impairing or banning or threatening to do the same, directly or indirectly, to any party or to its property to influence the procurement process; not obstruct any investigation or audit of a procurement process.
- f) Disclose conflict of interest, if any: and
- g) disclose any previous transgressions with any entity in India or any other country during the last three year or any debarment by any other procuring entity.

#### **Conflict of Interest: -**

The bidder participating in a bidding process must not have a conflict of interest.

A conflict of interest is considered to be situation in which a party has interests that could improperly influence that party's performance of, official duties or responsibilities, contractual obligations or compliance with applicable laws and regulations.

i) A bidder may be considered to be in conflict of Interest with one or more parties in a bidding process if including but not limited to:

- a) Have controlling partners/shareholders in common or
- b) receive or have received any direct or indirect subsidy from any of them or
- c) have the same legal representative for purpose of the bid; or
- d) have a relationship with each other, directly or through common third parties, that put them in a position to have a access to information about or influence the decisions of the procuring Entity regarding the bidding process or
- e) The bidder participates in more than one bid in a bidding process-participation by a bidder in more than one bid will result in the disqualification of all bids in which the bidder is involved However this does not limit the inclusion of the same subcontractor, not otherwise participating as a Bidder, in more than one Bid; or
- f) The bidder or any of its affiliates participated as a consultant in the preparation of the design or technical specifications of the goods, works or services that are the subjects of the Bid; or

g) Bidder or any other of its affiliates has been hired (on is proposed to be hired) by the Procuring Entity as Engineer —In —Charge/consultant of the contract.

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**

**Annexure B**

**Declaration by The Bidder Regarding Qualifications**



**Declaration By The Bidder**

In relation to My/our Bid submitted to ..... for procurement of ..... in response to their Notice Inviting Bids No Dated .....I/We hereby declare under Section 7 of Rajasthan Transparency in public Procurement Act, 2012, that:

1. I/we possess the necessary professorial, technical, financial and managerial resources and competence required by the bidding document issued by the Procuring Entity;
2. I/we have fulfilled my/our obligation to pay such of the taxes payable to the union and the State Government or any other local authority as specified in the Bidding Document;
3. I/we are not insolvent, in receivership, bankrupt or being wound up, not have my/our business activities suspended and not the subject of legal of legal proceedings for any of the foregoing reasons;
4. I/we do not have, and our directors and officers not have, been convicted of any criminal offence related to my/our qualifications to enter into a procurement contract within a period of three years preceding the commencement of this procurement process, or not have been otherwise disqualified pursuant to debarment proceedings;
5. I/we do not have a conflict of interests as specified in the Act, Rules and the Bidding Document, which materially affects fair competition;

Date:

Place:

Address:

Signature of Bidder:

Name:

Designation:

## Annexure C:

### Grievance Redressal during procurement Process

The designation and address of the First Appellate Authority is Registrar, Maharshi Dayanand Saraswati University, Ajmer

The Designation and address of the Second Appellate Authority is Vice Chancellor, Maharshi Dayanand Saraswati University, Ajmer

#### Filing an Appeal

If any Bidder or prospective bidder is aggrieved that any decision, action or omission of the procuring Entity is a contravention in the provisions of the Act or the rules or the Guidelines issued there under he may file an appeal to First Appeal Authority, as specified in the bidding document with a period of ten days from the date of such decisions or action, omission, as the case may be clearly giving the specific ground or the grounds on which he feels aggrieved:

Provide that after the declaration of a Bidder as successful the appeal may be filed only by a bidder who has participated in procurement proceedings, Provided further that in case a Procuring Entity evaluates the Technical Bids before the opening of a financial bid, an appeal related to the matter of a financial bids may be filed only by a bidder whose technical bid is found to be acceptable


- 1) The officer to whom an appeal is filed under Para (1) shall deal with the appeal as expeditiously as possible and shall Endeavour to dispose it of within thirty days from the date of appeal,
- 2) If the officer designated ,under Para (1) fails to dispose of the appeal filed within the period specified in para (2), or if the Bidder or prospective bidder or the procuring entity is aggrieved by the order passed by the First Appeal Authority , the bidder or the prospective bidder or the procuring entity as the case may be , may file a second appeal to Second appellate Authority specified in the bidding Document in this behalf within fifteen days from the expiry of the period specified in Para(23) or of the date of receipt of the order passed by the First Appellate Authority, as the case may be,

#### 3) Appeal not to lie in certain cases

No appeal shall lie against any decision of the Procuring Entity relating to the following matters, namely: -

- a) determination of procurement;

- b) provisions limiting participation of bidders in the bid process.
- c) the decision of whether or not to enter into negotiation;
- d) cancellation of procurement process.
- e). applicability of the provisions of confidentiality.



**4) Form of Appeal**

- a) An appeal under Para (1) or (3) shall above in the annexed from along with as many copiasas there are respondents in the appeal.
- b) Every appeal shall be accompanied by an order appealed against, if any affidavit
- c) Every appeal may be presented to First Appeal Authority or second Authority as the casemay be, in person or through registered post or authorized representative.

**5) Fee for filling appeal**


- a) Fee for first appeal shall be Rupees Two Thousand Five Hundred and for Second Appeal shall be Rupees Ten Thousand, which shall be, non-refundable,
- b). The fee shall be paid in the form of bank Demand Draft or Bankers cheque of a scheduled Bank in India payable in the name of appealed Authority concerned.

**6) Procedure for disposal of appeal**

- a) The First Appellate Authority or second Appellate Authority, as the case may be filling of appeal shall issue notice accompanied by the copy of appeal, affidavit and document, if any to the respondents and fix date of hearing.
- b) on the date fixed for hearing the First Appellate Authority or Second Authority, as the case may be, shall-
  - i) hear all the parties to appeal present before him; and
  - ii) peruse or inspect documents, relevant records or copies thereof relating to the matter.
- c) After hearing the parties, perusal or inspection of documents and relevant records or copies thereof relating to the matter, the Appellate Authority Concerned shall pass an order in writing and provide the copy of order to the parties to appeal free of cost.
- d) The order passed under sub clause (c) above shall also be placed on the State Public Procurement Portal.

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**

**Annexure D:**  
**Additional condition of Contract**



**1. Correction of arithmetical errors:**

Provided that a Financial Bid is substantially responsive, the Procuring Entity will correct arithmetical errors during evaluation of Financial Bids on the following basis:

- i. If there is a discrepancy between the unit price and the total price that is obtained by multiplying the unit price and quantity, the unit price shall prevail and the total price shall be corrected, unless in the opinion of the Procuring Entity there is an obvious misplacement of the decimal point in the unit price, in which case the total price as quoted shall govern and the unit price shall be corrected and
- ii. If there is an error in a total corresponding to the addition or subtraction of subtotals, the subtotals shall prevail and the total shall be corrected and.
- iii. If there is a discrepancy between words and figures, the amount in words shall prevail, unless the amount expressed in words is related to an arithmetic error, in which case the amount in figures shall prevail subject to (i) and (ii) above.

If the Bidder that submitted the lowest evaluated Bid does not accept the correction of errors, its Bid shall be disqualified and its Bid Security shall be forfeited or its Bid Securing Declaration shall be executed,

**2. Procuring Entity's Right to Vary Quantities**

- i. At the time of award of contract, the quantity of Goods, works or services originally specified in the Bidding Document may be increased or decreased by a specified Percentage, but such increased or decreased shall not exceed twenty percent, of the quantity specified in the Bidding Document, It shall be without any change in the unit prices or, other terms and conditions of the Bid and the conditions of contract.
- ii. If the Procuring entity does not procure any subject matter of procurement or procures less than the quantity specified in the Bidding Document due to change in circumstances, the Bidder shall not be entitled for any claim or compensation except otherwise provided in the Conditions of Contract.
- iii. In case of procurement of Goods or services, additional quantity may be procured by placing a repeat order on the rates and conditions of the original order. However, the additional quantity shall not be more than 50 % of the value of Goods of the original contract and shall be within one month from the date of expiry of last supply. If the supplier fails to do so, the Procuring Entity shall be free to arrange for the balance supply by limited Bidding or otherwise and the extra cost incurred shall be recovered from the supplier.


**3. Dividing quantities among more than one Bidder at the time of award (In case of procurement of Goods)**

As a general rule all the quantities of the subject matter of procurement shall be procured from the Bidder, whose Bid is accepted. However, when it is considered that the quantity of the subject matter of procurement to be procured is very large and it may not be in the capacity of the Bidder, whose Bid is accepted, to deliver the entire quantity or when it is considered that the subject matter of procurement to be procured is of critical and vital nature, in such cases, the quantity may be divided between the Bidder,



whose Bid is accepted and the second lowest Bidder or even more Bidders in that order, in a fair, transparent and equitable at the rates of the Bidder, whose Bid is accepted.

**SIGNATURE OF THE BIDDER  
WITH SEAL AND DESIGNATION**




**FORM NO. 1**  
[See rule 83]

**Memorandum of Appeal under the Rajasthan Transparency in Public Procurement  
Act, 2012**

Appeal No. .... of .....  
Before the ..... (First/Second Appellate Authority)

1. Particulars of appellant;
  - i. Name of the appellant;
  
  - ii. Official address, if any;
  
  - iii. Residential address:
2. Name and address of respondent(s);
  - i.
  
  - ii.
  
  - iii.
3. Number and date of the order appealed against and name and designation of the officer/ authority who passed the order(enclose copy) or a statement of a decision, action or omission of the procuring Entity in contravention to the provisions of the Act by which the appellant is aggrieved:
4. If the Appellant proposes to be represented by a representative, the name and postal address of the representative:
5. Number of affidavits and documents enclosed with the appeal
6. .... Ground ..... of  
.....  
..... appeal  
.....  
.....  
.....

(Supported by an affidavit)



7. ....  
Prayer

Place .....

Date : .....

Appellant's Signature

**Form of Bid Securing Declaration**

**Date:**

**Bid No.:**

**To:**

The Registrar,  
MaharshiDayanandSaraswati University,  
Ajmer. (Rajasthan)

We, the undersigned declare that:

We understand that, according to your conditions, bids must be supported by a Bid-SecuringDeclaration.

We accept that we are required to pay the bid security amount specified in the Term andConditions of bid, in the following cases namely: -

- (a) When we withdraw or modify our bid after opening of bids;
- (b) When we do not execute the agreement, if any, after placement of supply/work as persupply/work order within the time specified;
- (c) When we fail to commence the supply of the goods or service or execute work as persupply/work order within the time specified;
- (d) When we do not deposit the performance security within specified period after thesupply/work order is placed; and
- (e) If we breach any provision of code of integrity prescribed for bidding specified in the Actand Chapter VI of these rules.

In addition to above, the State Government shall debar us from participating in any procurementprocess undertaken for a period not exceeding three years in case where the entire bid security orany part thereof is required to be forfeited by procuring entity.

We understand this Bid Securing Declaration shall expire if:-

- (i) We are not the successful Bidder; .
- (ii) The execution of agreement of procurement and performance security is furnished byus in case we are successful bidder;
- (iii) Thirty days after the expiration of our Bid.
- (iv) The cancellation of the procurement process; or
- (v) The withdrawal of bid prior to the deadline for presenting bids, unless the biddingdocuments stipulate that no such withdrawal is permitted.

Signed: .....


Name: .....

In the capacity of: .....

Duly authorized to sign the bid for and on behalf of: .....


Dated on .....day of .....

Corporate Seal .....




[Note : In case of a Joint Venture, the Bid Securing Declaration must be signed in name of all partners of the Joint Venture that is submitting the bid.

## Required Technical Bid Documents for Eligibility Criteria



1. The item to be procured is reserved for procurement only from MSME.
2. OEM Shall be member of IGBC and shall have ISO 9001: 2015, ISO 14001:2015, ISO 45000: 2015 and ISO 50001: 2018 Certification and All ISO certificates should be issued by NABCB and name shall be available on <https://nabcb.qci.org.in/accreditation/>.
3. The Bidder should have Required Experience of supplying of furniture in State or Centre Government Autonomous Bodies/Department/Undertaking/Enterprise, bidder should attached order copy of the Last Three Financial Years attached along with bid .
4. The Manufacturer should Have sufficient own plant, machineries & equipment required for the tender items proper and timely execution of the work. Client may also visit and inspect the manufacture set up as deemed fit. The manufactures company shall submit documentary proof of above in house plant machinery with affidavit on Rs100/- non judicial stamp paper of duly attested by notary public. Dealer participating should enclosed affidavit from their parent manufacturer company.
5. The tenderer should have annual turnover ofRs. 1.50 Crore. Audited accounts (profit and loss account, balance sheet and income expo statement)/CA Certificate (with CA's Seal and signature)
6. Manufacturer should have Factory License. Dealers participating should enclose License from their parent manufacturer company. This certificate is required to ensure the Factory Act.
7. The Bidder should have Shops and Commercial Establishments Certificate. (Applicable only for Manufacturer Company Authorized Dealers)
8. All the products should be tested as per standard operating conditions and test certificates can be asked. Snaps of Quality Assurance LAB and relevant testing equipment should be attached with the tender
9. The Bidder should have GSTN Certificate.
10. Bidder will have to submit tender specific MAF (With tender number on OEM letterhead)
11. The OEM/Bidder should have experience of providing and placement of furniture order of Minimum 800 chairs.
12. The firm should provide logistics at Ajmer.
13. The Carpeting of the Auditorium shall the per Square feet calculating according to the total area.
14. Rate shall be FOR . Ajmer.

- 
15. Supply, Installation, commission. Furniture Payment  
60%:30%:10%
16. Defect liability period shall be for 1-Year.
17. Service should be provided by Service Dealer within one day.
18. Product Sampling at Site should be done before financial bid Opening so that product quality/Specification can be checked as per the tender. This will be saving lot of time after award of work if any substandard vendor gets awarded the contract.
19. OEM Plant visit should be done by authorities for Checking of material Manufacturing Processes.
20. The OEM should have Green Guard by UL, GreenPro. This will ensure Low VOC content material getting supplied which will in turn support Health & Environment.

## TECHNICAL BID

Specification of Auditorium chair for MDSU ,Ajmer.

Furniture

S. NO.	Items	Specification	Qty	Model offered by Applicant
1	Auditorium chairs for balcony first floor	<p>Providing and placement Auditorium Chair :- The seat rest assembly is 1.5±0.1 cm thk. flat plywood and in-situ moulded with polyurethane foam &amp; upholstered with polyester fabric and enclosed by an injection moulded cover. The Seat should be an auto-tip up feature making it stay in upright position when not in use enabling clear row passage. The seat profile should have a large waterfall edge to help the users get necessary comfort in popliteal region. The Seat size shall be : 45.0 cm. (W) x 50.5 cm (D) x 13.8 cm (T) Approx. The backrest assembly should be made up of 1.2±0.1cm thk flat plywood measured as per QA method described in OCP-QLTA-P14-18 upholstered with polyester fabric and enclosed by an injection moulded back cover. The back foam should be designed with contoured back support for extra comfort. The back size shall be HIGH BACK SIZE: 48.7 cm. (W) x 76.9 cm (H) x 12.5 cm (T) Approx. The HR polyurethane foam for Seat and Back should be moulded with Density = 45 +/- 2kgs/m3. The leg frame assy should be fabricated from M.S. tube 6.0±0.03cm x 4.0±0.03cm x 0.2±0.016cm thk. welded with grouting member. It should be black powder coated ( DFT 40-60 microns ) &amp; grouted to floor using anchors. ASSEMBLY: The armrest should be made up of black integral skin polyurethane with 65+/-10 Shore 'A' hardness and reinforced with M.S. insert fixed with leg frame. The armrests shall be scratch and weather resistant. The armrest cladding shall made up of 0.9±0.1 cm thk Plywood &amp; upholstered with polyester fabric. The cladding shall fixed to Aisle Side panel Only. All in between panels shall not have armrest cladding. All steel components are Epoxy Polyester Powder Coated ( DFT 40-60 microns ) after 7 tank anti-rust treatment. The auditorium chair shall be designed to get mounted/grouted on floors with flooring specification as mentioned in flooring pre-requisite. Overall Dimensions shall be Seat Height - 44.5 cm, Height - 103.5cm, armrest c/c - 54.6 cm, Width &amp; Depth as measured from pedestal - Width-64.0cm and Depth-71.5 cm. OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	190	
2	Auditorium chairs for Ground Floor	<p>Providing and placement Auditorium Chair:-The seat assembly should be made of polyurethane foam moulded with M.S. tubular frame insert which is upholstered with fabric. The insert is tubular frame should be made of 01.9 ±0.02cm x 0.16 ±0.013cm thk MS. E.R.W round tube with flexible support straps running across the length and width of the frame. The Seat shall be an auto-tipup feature making it stay in upright position when not in use enabling clear row passage and Seat Slide . The Seat Size : 45.5cm (W) x 46.5cm (D). The Backrest Assembly : The back assembly shall be a flexi back mechanism. It shall made of polyurethane foam moulded with M.S. tubular frame insert, upholstered with fabric and shall have a plastic back cover. The insert is a tubular frame should be made of 01.9 ±0.02cm x 0.16 ±0.013cm thk M.S.E.R.VV round tube with flexible support straps running across the length and width of the frame. The Back Size : High Back- 45.5cm (W) x 82.4cm (H). The seat and back should be made up with the HR polyurethane foam is moulded with density = 45 +/-3 kg/m3.SIDE PANEL / AISLE PANEL: The chair rests on the ground on two side panel frames fabricated from 0.12 ±0.020cm thk CR steel sheet which is clad with fabric upholstery. The side panel frame shall be grouted to the floor using 2 nos. of anchors for each panel through 0.3 ± 0.05cm thk HR steel base plate. WOODEN ARMREST : The armrest should made up of solid beech wood with clear lacquer coat. The armrest shall fitted with sidepanel through concealed zinc plated hinge and all Steel components shall be epoxy polyester powder coated (DFT 40-60 microns) after 7 tank anti-rust treatment. . The auditorium chair should be designed to get mounted/grouted on floors . Overall Dimensions shall be Height - 107.3cm x70.3cm x 63.2cm. OEM shall have ISO 9001:2015. ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	517	



3	2- Seater Sofa for Auditorium	<p>Providing and placement 2- Seater Sofa:- Upperstructure shall be a single shell 1.2 ±0.1cm. thick hot pressed plywood. Dia 4mm zig-zag type assembly is mounted in the understructure for support and additional cushioning purpose. The seat should be made up of PU foam with density 32+/-2 Kg/m<sup>3</sup> having an additional top layer of PU foam with density 28+/-2 Kg/m<sup>3</sup>, upholstered with fabric or leatherette. The back should be made up of 28+/-2 Kg/m<sup>3</sup> with additional top layer of PU foam with density 23+/-2 Kg/m<sup>3</sup>, upholstered with fabric or leatherette. The leg shall be a welded assembly made up of stainless steel (grade SS 202) tube and plate. Overall Dimensions of Chair shall be Seat Height - 45.0 cm, Height - 82.0cm, Width &amp; Depth of Chair as measured from pedestal - Width-146.0 cm and Depth-92.0 cm. OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	28
4	officer table for staff	<p>Providing and placement office table :- The office table shall be Greenguard Certified from UL Laboratories, the table size-1650x1650x750 and table should be made with Primary Work Surface Made of 25mm thick MDF one side pre-laminate board conforming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top Soft closing access flap with in-built power box shall be provided on work surface for wire management Secondary Work Surface Made of 25mm thick MDF one side pre-laminate board conforming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top. Modesty Panel should be made of 25mm thick MDF one side pre-laminate board conforming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top. Under structure should be Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade conforming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Integrated Pedestal Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade conforming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping. Drawer fronts made of 25mm thick MDF one side pre-laminate board conforming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top Pedestal construction should be BOX-BOX-FILE type which Uses powder coated 400 MM long metal Panel Drawer Slides. Drawer extension is 325 MM. Drawers shall have a soft closing &amp; anti slam mechanism. Handles shall provided for ease of opening. Pedestals shall provided with lock for security..OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	2

5	Officer High Back Chair	<p>Providing and Placement high back chair :-Revolving chair shall be the seat/back assembly: the cushioned seat should be made of injection molded plastic outer &amp; inner. plastic inner should be upholstered with stitched cover and moulded high resilience polyurethane foam of density 45±2 kg/m<sup>3</sup> and hardness load 16 ± 2 kgf for 25% compression.the stitched cover should be made from spacer fabric and leatherette. cushioned back should be made of pu foam with insitu molded ms e.r.w round tube of size 1.9±0.03cm x 0.16 ±0.0128cm. it upholstered with spacer fabric and leatherette.seat size : 47.0 cm. (w) x 48.0 cm. (d) back size : 45 cm. (w) x 60.5 cm. (d) armrests the armrest top should be moulded from polyurethane(pu) and mounted on to a drop lift adjustable type tubular armrest support made of 03.81±0.03 cm x 0.2±0.01 cm thk ms e.r.w tube. the armrest height adjustable up to 6.5±0.5cm in 5 steps.the armrest structure should be powder coated (dft 40-60 micron).active bio-synchro mechanism (fu3401/3402): the adjustable tilting mechanism should be designed with the following features:</p> <ul style="list-style-type: none"> <li>• 360° revolving type. • front-pivot for tilt with feet resting on ground and continuous lumbar support ensuring more comfort. • tilt tension adjustment can be operated in seating position. • 5-position tilt limiter giving option of variable tilt angle to the chair. • seat/back tilting ratio of 1: 2 • the mechanism housing should be made up of hpdc aluminium black powder coated.seat depth adjustment seat depth adjustment should be integrated in the seat through a sliding mechanism. seat depth adjustment range should be of 6.0±0.5 cm. adjustable back supportback frame should be connected to the up/dn mechanism housed in plastic t spine. it can be adjusted in the range of 7.42±0.5 cm for the comfortable back support to suit individual need.pneumatic ht. adjustment the pneumatic ht adjustment has an adjustment stroke of 10.0±0.3 cm. 9) twin wheel castor : 5 nos. twin wheel castors should be injection moulded in plastic having 6.0±0.1cm wheel diameter and assembled to pedestal. .OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</li> </ul>	2	
6	Officer visitor chair	<p>Providing and placement Visitor chair :- The Chair should be the seat/back assembly: the cushioned seat should be made of injection molded plastic outer &amp; inner. plastic inner should be upholstered with stitched cover and moulded high resilience polyurethane foam of density 45±2 kg/m<sup>3</sup> and hardness load 16 ± 2 kgf for 25% compression.the stitched cover should be made from spacer fabric and leatherette. cushioned back should be made of pu foam with insitu molded ms e.r.w round tube of size 1.9±0.03cm x 0.16 ±0.0128cm. it upholstered with spacer fabric and leatherette.seat size : 47.0 cm. (w) x 48.0 cm. (d) back size : 45 cm. (w) x 60.5 cm. (d) visitor tubular frame: the powder coated (dft 40-60 micron) tubular frame should be cantilever type &amp; made of 02.54±0.03 cm x 0.2±0.016 cm thk ms erw tube.the back connected to frame through powder coated (dft 40-60 micron) high pressure die cast connector piece.Overall Dimensions of Chair:Seat Height - 44.8cm.Height - 99.5cm.Width-60.9 cm and Depth-64.3 cm .OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	4	
7	Metal sliding storage unit with wooden top	<p>Providing and placement metal Sliding storage unit :- The vertical Sliding door storage should be Greenguard certified , the storage overall dimensions shall be 1200mm(W)x450mm(D)x887.5mm(H) . The top shall be wooden top PLB(25 mm add in unit height) . The Rigid Knock Down Construction , Back , Sides and Door shall be made from 0.7 mm high yield strength CRCA , rest in 0.8 mm CRCA . CRCA - 'D' Grade as per IS-513 . Sliding door arrangement shall have sliding door with top hanging arrangement to prevent derailment . Each door shall be provided with 2 plastic roller having steel ball bearing for smooth movement of door &amp; less noise . Locking shall be 5 lever cam lock for safe locking . Handle shall be plastic flush &amp; recessed handle . Shelving shall have Height wise adjustable shelf mounting . Uniformly Distributed Load Capacity of the shelf is 40 Kg maximum . VSDU - 10 shall have 2 no. of adjustable half shelves . Accessories optional shall be cradle with pipes for hanging godrej instadex files . Leveler shall be screw type leveler with hex plastic base and overall finish shall be epoxy polyester coated to the thickness of 50 microns . For VSDU 10 - A4 size box file can be stored vertically on both the shelves .OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	2	

8	Tracking Camera	<p>Providing and placement Tracking Camera:- The supply installation testing and commissioning :- Supply of AI based Full HD 1080p @ 60fps Presenter PTZ Tracking Camera with Dual Camera-one PTZ Camera for Presenter Tracking and second fixed lens Panoramic Camera. PTZ Presenter Camera should support min 20X Optical Zoom and 12X Digital Zoom with Panning range of +170 deg to -170 deg and Tilt Range of -30 to +90 Degrees, Field of View for PTZ Camera should be min 58 Degree and for Panoramic Camera min. 100 Degree, Camera should support simultaneous outputs through HDMI, 3G-SDI, USB 3.0 and IP with 1x Audio In and can be controlled via RS232 and IP. Should support multiple video streams. Tracking Camera should support Everywhere Tracking, Partition Tracking, Auto Framing &amp; Gesture Control. Should support PoE and Virtual USB Driver. OEM should be CE, FCC, RoHS &amp; BIS Certified :- Price 225000 + Tax 18% . brand- Sony/VADIO/Lumens</p>	1	
9	Interactive Panel	<p>The Interactive Panel :- The Panel Screen Size (Diagonal) - 65" Touch Interactive Display, Panel Technology - IPS/ Direct - LED, Aspect Ratio -16:9, Resolution - 3840 x 2160 - UHD, Brightness* - 400 cd/m2 and Inbuilt Memory 4 GB RAM &amp; 64 GB memory Android 9, CPU : CA55 Quad Core, GPU: Mali470 MP3, 4GB DDR3, 64GB eMMC, wifi 5Ghz, with memory support 64GB and Viewing Angle (HxV) - 178x178, VGA Input x 1 Input - 4 X HDMI 2.0, 2X USB 2.0, USB 2.0(Internal/Video Output - HDMI2.0 Audio Input Line L/R Audio Output Headphone, Optic SPDIF, External Control - RS232, Ethernet(RJ-45), External Sensor RJ12 and Infrared IR Technology, Any Touch with Finger gloved hand or Pointer, Supported OS &amp; Application - Windows 7, Windows 8, Windows 10, Vista, XP, MAC, OS, Linux, Android Up to 10 Point multi - touch and Viewing angle - 178/178 with Protective Glass Anti Glare Surface/Shatterproof film attached, USB Type A Connector x 1 for touch panel with Inbuilt OPS Slot with Digital Signage Software Inbuilt OPS Slot PC and Digital Signage Software are from the same OEM. All the offered solution It should be a single oem solution.</p>	1	
10	Floor Carpet	<p>Providing and placement Floor carpet :- The flocked textile floor capat Approx 750 Sqmtr covering of 100% Nylon 6.6 face fiber completely water proof resilient backing. The flooring should be Anti static with thickness of 4.3 mm and approximate weight of 1.8 k.g./sqm of roll form. The carpet should be completely stain resistant and of a density approx. 80 million fibers/sq.mtr (70 million fiber/sq.yd) in the width of 2 mtr .The floor covering should have Fire Test EN-13501, Appearance Retention Hexapod ISO 140-8, Friction Slip Resistance Test EN 14041 Class DS with resilient waterproof backing, anti allergic which is certified by British allergy foundation, LOW VOC Certificate. The carpet should have permanent static contro. The work should be carried out by the authorized installer of the Company in India. Carpet should be laid on zero leveled surface. Carpet should be stick with SR 998/ Floor Fix on the floor. Approved make Forbo</p>	750 (Sqmtr)	
11	Table for Green Room and back stage arrangement room	<p>Providing and placement Work desk :-The Work 4020 size shall be 1200 Width x 600 Depth x 740 Height . The top shall be made from 25 mm thick pre- laminated board . All the edges are sealed with 2 mm thick PVC edge band all around . Side panels shall be made from 25 mm thick pre- laminated particle board . All the edges are sealed with 2 mm thick PVC edge band on the user side and 0.8 mm on the top and bottom side .The side panels have 2 glide screws each for levelling of the desk. Modesty panel shall be made from 18 mm thick pre- laminated particle board . All the edges are sealed with 0.8 mm thick PVC edge band all around. Freestanding Pedestal shall be made from 18 mm pre- laminated particle board with a combination of 2 mm and 0.8 mm PVC edge band on all the exposed surfaces as per requirement . The drawers are provided with suitable slides for smooth operation . All the pedestal drawers are centrally locked with a single key .Drawer slides are of Hettich.</p>	10	

12	Visitor chair for green room	<p>Providing and placement visitor chair :- The chair seat assembly should be made up of 1.2 ±0.1cm. thick hot-pressed plywood , upholstered with fabric upholstery covers and moulded Polyurethane foam. SEAT SIZE: 47.0 cm. (W) x 48.0 cm. (D) BACK ASSEMBLY: The back assembly should be made of powder coated (OFT 40-60 microns) tubular frame of 0 2.54 ±0.03cm. x 0.2 ±0.016cm.thk. MS ERW tube designed with contoured lumbar support for extra comfort. The back should be upholstered using double layer spacer mesh fabric with high tenacity yarn. BACK SIZE : 46.5 cm. (W) x 60.5cm. (H) HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam should be moulded with density =45+/-2 kg/m3 and hardness load 16 ± 2 kgf for 25% compression. ARMRESTS: The one-piece armrests should be injection moulded from black Co-polymer Polypropylene. TUBULAR FRAME: The powder coated (DFT 40-60.microns) tubular frame should be cantilever type &amp; made of Ø2.54 ±0.03cm. x 0.2 ±0.016cm thick M.S.E.R.W. TOOverall Dimensions of Chair Seat Height - 46.5cm. Height - 93.5cm. Width &amp; Depth of Chair as measured from pedestal - Width-61.0 cm and Depth-64.5 cThis product should be certified by Indoor Advantage GOLD &amp; GREEN PRO.</p>	24	
14	Coffee wooden table for Dias	<p>Providing and placing wooden center table :- The table size :-1200mm (W) x 600mm (D) x 455mm.(H) The top 18mm made of high-density plywood and a rubber wood underframe, this clean design free of unnecessary details makes it easy to maintain. The Legs 80X80 Top Side 40X40 Bottom Side Support 45x25mm &amp; 8 Pcs Bolt &amp; Nut Vintage era inspired colour and design, with curved legs and a walnut finish, that adds a classic charm to the space.OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB)</p>	3	
16	Dias chair wooden high back Model - Blist )	<p>providing and placement dias Wooden chair :- The chair Made with sheesham Solid Wood and Seat and back with cushiond .OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB)</p>	6	
16	Wooden podium with mic system	<p>Providing and placement of wooden podium with mic system. The podium make with seashm wood duly customised with reading table slight slant with wood finish colour with storage shelves, wrist rest, paper stope with inbuilt sound system size 44' presenter side high 44'</p>	2	

## FINANCIAL BID

Specification of Auditorium chair for MDSU , Ajmer.  
Furniture

S. NO.	Items	Specification	Qty	Unit Rate in Figures	Unit rate in words	Total Amount
1	Auditorium chairs for balcony first floor	<p>Providing and placement Auditorium Chair :- The seat rest assembly is 1.5±0.1 cm thk. flat plywood and in-situ moulded with polyurethane foam &amp; upholstered with polyester fabric and enclosed by an injection moulded cover. The Seat should be an auto-tip up feature making it stay in upright position when not in use enabling clear row passage. The seat profile should have a large waterfall edge to help the users get necessary comfort in popliteal region. The Seat size shall be : 45.0 cm. (W) x 50.5 cm (D) x 13.8 cm (T) Approx. The backrest assembly should be made up of 1.2±0.1cm thk flat plywood measured as per QA method described in OCP-QLTA-P14-18 upholstered with polyester fabric and enclosed by an injection moulded back cover. The back foam should be designed with contoured back support for extra comfort. The back size shall be HIGH BACK SIZE: 48.7 cm. (W) x 76.9 cm (H) x 12.5 cm (T) Approx. The HR polyurethane foam for Seat and Back should be moulded with Density = 45 +/- 2kgs/m<sup>3</sup>. The leg frame assy should be fabricated from M.S. tube 6.0±0.03cm x 4.0±0.03cm x 0.2±0.016cm thk. welded with grouting member. It should be black powder coated ( DFT 40-60 microns ) &amp; grouted to floor using anchors. ASSEMBLY: The armrest should be made up of black integral skin polyurethane with 65+/-10 Shore 'A' hardness and reinforced with M.S. insert fixed with leg frame. The armrests shall be scratch and weather resistant. The armrest cladding shall made up of 0.9±0.1 cm thk plywood &amp; upholstered with polyester fabric. The cladding shall fixed to Aisle Side panel Only. All in between panels shall not have armrest cladding. All steel components are Epoxy Polyester Powder Coated ( DFT 40-60 microns ) after 7 tank anti-rust treatment. The auditorium chair shall be designed to get mounted/grouted on floors with flooring specification as mentioned in flooring pre-requisite. Overall Dimensions shall be Seat Height - 44.5 cm, Height - 103.5cm, armrest c/c - 54.6 cm, Width &amp; Depth as measured from pedestal - Width-64.0cm and Depth-71.5 cm. OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	190			
2	Auditorium chairs for Ground Floor	<p>Providing and placement Auditorium Chair:-The seat assembly should be made of polyurethane foam moulded with M.S. tubular frame insert which is upholstered with fabric. The insert is tubular frame should be made of 01.9 ±0.02cm x 0.16 ±0.013cm thk MS. E.R.W round tube with flexible support straps running across the length and width of the frame. The Seat shall be an auto-tipup feature making it stay in upright position when not in use enabling clear row passage and Seat Slide. The Seat Size : 45.5cm (W) x 46.5cm (D). The Backrest Assembly : The back assembly shall be a flexi back mechanism. It shall be made of polyurethane foam moulded with M.S. tubular frame insert, upholstered with fabric and shall have a plastic back cover. The insert is a tubular frame should be made of 01.9 ±0.02cm x 0.16 ±0.013cm thk M.S.E.R.VV round tube with flexible support straps running across the length and width of the frame. The Back Size : High Back- 45.5cm (W) x 82.4cm (H). The seat and back should be made up with the HR polyurethane foam is moulded with density = 45 +/-3 kg/m<sup>3</sup>.SIDE PANEL / AISLE PANEL: The chair rests on the ground on two side panel frames fabricated from 0.12 ±0.020cm thk CR steel sheet which is clad with fabric upholstery. The side panel frame shall be grouted to the floor using 2 nos. of anchors for each panel through 0.3 ± 0.05cm thk HR steel base plate. WOODEN ARMREST : The armrest should made up of solid beech wood with clear lacquer coat. The armrest shall fitted with sidepanel through concealed zinc plated hinge and all Steel components shall be epoxy polyester powder coated (DFT 40-60 microns) after 7 tank anti-rust treatment. . The auditorium chair should be designed to get mounted/grouted on floors . Overall Dimensions shall be Height - 107.3cm x 70.3cm x 63.2cm. OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	517			

3	2- Seater Sofa for Auditorium	<p>Providing and placement 2- Seater Sofa:- Upperstructure shall be a single shell 1.2 ±0.1cm. thick hot pressed plywood. Dia 4mm zig-zag type assembly is mounted in the understructure for support and additional cushioning purpose. The seat should be made up of PU foam with density 32+/-2 Kg/m<sup>3</sup> having an additional top layer of PU foam with density 28+/-2 Kg/m<sup>3</sup>, upholstered with fabric or leatherette. The back should be made up of 28+/-2 Kg/m<sup>3</sup> with additional top layer of PU foam with density 23+/-2 Kg/m<sup>3</sup>, upholstered with fabric or leatherette. The leg shall be a welded assembly made up of stainless steel (grade SS 202) tube and plate. Overall Dimensions of Chair shall be Seat Height - 45.0 cm, Height - 82.0cm, Width &amp; Depth of Chair as measured from pedestal - Width-146.0 cm and Depth-92.0 cm. OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	28		
4	officer table for staff	<p>Providing and placement office table :- The office table shall be Greenguard Certified from UL Laboratories, the table size-1650x1650x750 and table should be made with Primary Work Surface Made of 25mm thick MDF one side pre-laminate board conforming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top Soft closing access flap with in-build power box shall be provided on work surface for wire management Secondary Work Surface Made of 25mm thick MDF one side pre-laminate board conforming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top. Modesty Panel should be made of 25mm thick MDF one side pre-laminate board conforming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top.</p> <p>Under structure should be Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade conforming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping.</p> <p>Integrated Pedestal: Made of 25mm Thick Pre-laminated twin board of E1-P2 grade and approved shade conforming to IS-12823:1990, Edge banded with matching 2 mm thick PVC lipping.</p> <p>thick MDF one side pre-laminate board conforming to IS-14587:1998 with 0.4mm PVC membrane pressed on to top Pedestal construction should be BOX-BOX-FILE type which Uses powder coated 400 MM long metal Panel Drawer Slides. Drawer extension is 325 MM. Drawers shall have a soft closing &amp; anti slam mechanism. Handles shall provided for ease of opening. Pedestals shall provided with lock for security..OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	2		

5	Officer High Back Chair	<p>Providing and Placement high back chair :-Revolving chair shall be the seat/back assembly: the cushioned seat cover and moulded high resilience polyurethane foam of density 45±2 kg/m<sup>3</sup>, and hardness load 16 ± 2 kgf for 25% compression. the stitched cover should be made from spacer fabric and leatherette. cushioned back should be made of pu foam with insitu molded ms e.r.w round tube of size 1.9±0.03cm x 0.16 ±0.0128cm. it upholstered with spacer fabric and leatherette. seat size : 47.0 cm. (w) x 48.0 cm. (d) back size : 45 cm. (w) x 60.5 cm. (d) armrests the armrest top should be moulded from polyurethane(pu) and mounted on to a drop lift adjustable type tubular armrest support made of 03.81±0.03 cm x 0.2±0.01 cm thk ms e.r.w tube. the armrest height adjustable up to 6.5±0.5cm in 5 steps. the armrest structure should be powder coated (dft. 40-60 micron). active bio-synchro mechanism (fu3401/3402): the adjustable tilting mechanism should be designed with the following features:</p> <ul style="list-style-type: none"> <li>• 360° revolving type.</li> <li>• front-pivot for tilt with feet resting on ground and continuous lumbar support ensuring more comfort.</li> <li>• tilt tension adjustment can be operated in seating position.</li> <li>• 5-position tilt limiter giving option of variable tilt angle to the chair.</li> <li>• seat/back tilting ratio of 1: 2</li> <li>• the mechanism housing should be made up of hpdc aluminium black powder coated. seat depth adjustment seat depth adjustment should be integrated in the seat through a sliding mechanism. seat depth adjustment range should be of 6.0±0.5 cm. adjustable back support back frame should be connected to the up/dn mechanism housed in plastic t spine. it can be adjusted in the range of 7.42±0.5 cm for the comfortable back support to suit individual need. pneumatic ht. adjustment the pneumatic ht adjustment has an adjustment stroke of 10.0±0.3 cm. 9) twin wheel castor : 5 nos. twin wheel castors should be injection moulded in plastic having 6.0±0.1cm wheel diameter and assembled to pedestal. .OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</li> </ul>	2	
6	Officer visitor chair	<p>Providing and placement Visitor chair :- The Chair should be the seat/back assembly: the cushioned seat should be made of injection molded plastic outer &amp; inner. plastic inner should be upholstered with stitched cover and moulded high resilience polyurethane foam of density 45±2 kg/m<sup>3</sup>, and hardness load 16 ± 2 kgf for 25% compression. the stitched cover should be made from spacer fabric and leatherette. cushioned back should be made of pu foam with insitu molded ms e.r.w round tube of size 1.9±0.03cm x 0.16 ±0.0128cm. it upholstered with spacer fabric and leatherette. seat size : 47.0 cm. (w) x 48.0 cm. (d) back size : 45 cm. (w) x 60.5 cm. (d) visitor tubular frame: the powder coated (dft 40-60 micron) tubular frame should be cantilever type &amp; made of 02.54±0.03 cm x 0.2±0.016 cm thk ms erw tube. the back connected to frame through powder coated (dft. 40-50 micron) high pressure die cast connector piece. Overall Dimensions of Chair: Seat Height - 44.8cm. Height - 99.5cm. Width-60.9 cm and Depth-64.3 cm .OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	4	
7	Metal sliding storage unit with wooden top	<p>Providing and placement metal Sliding storage unit :- The vertical Sliding door storage should be Greenguard certified , the storage overall dimensions shall be 1200mm(W)x450mm(D)x887.5mm(H) . The top shall be wooden top PLB(25 mm add in unit height) . The Rigid Knock Down Construction , Back , Sides and Door shall be made from 0.7 mm high yield strength CRCA , rest in 0.8 mm CRCA . CRCA - 'D' Grade as per IS-513 . Sliding door arrangement shall have sliding door with top hanging arrangement to prevent derailment . Each door shall be provided with 2 plastic roller having steel ball bearing for smooth movement of door &amp; less noise . Locking shall be 5 lever cam lock for safe locking . Handle shall be plastic flush &amp; recessed handle . Shelving shall have Height wise adjustable shelf mounting . Uniformly Distributed Load Capacity of the shelf is 40 Kg maximum . VSDU - 10 shall have 2 no. of adjustable half shelves . Accessories optional shall be cradle with pipes for hanging godrej instadex files . Leveler shall be screw type leveler with hex plastic base and overall finish shall be epoxy polyester coated to the thickness of 50 microns . For VSDU 10 - A4 size box file can be stored vertically on both the shelves . .OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB) bodies and OEM shall be member of India Green Building Council (IGBC) under the category of "Manufacturing/Product Sales"</p>	2	

8	Tracking Camera	<p>Providing and placement Tracking Camera:- The supply installation testing and commissioning :- Supply of AI based Full HD 1080p @ 60fps Presenter PTZ Tracking Camera with Dual Camera-one PTZ Camera for Presenter Tracking and second fixed lens Panoramic Camera. PTZ Presenter Camera should support min 20X Optical Zoom and 12x Digital Zoom with Panning range of +170 deg to -170 deg and Tilt Range of -30 to +90 Degrees, Field of View for PTZ Camera should be min 58 Degree and for Panoramic Camera min. 100 Degree, Camera should support simultaneous outputs through HDMI, 3G-SDI, USB 3.0 and IP with 1x Audio In and can be controlled via RS232 and IP. Should support multiple video streams. Tracking Camera should support Everywhere Tracking, Partition Tracking, Auto Framing &amp; Gesture Control. Should support PoE and Virtual USB Driver. OEM should be CE, FCC, RoHS &amp; BIS Certified :- Price 225000 + Tax 18% . Sony/VADIO/Lumens</p>	1		
9	Interactive Panel	<p>The Interactive Panel :- The Panel Screen Size (Diagonal) - 65" Touch Interactive Display, Panel Technology - IPS/ Direct - LED, Aspect Ratio -16:9,Resolution - 3840 x 2160 - UHD,Brightness* - 400 cd/m2 and Inbuilt Memory 4 GB RAM &amp; 64 GB memory Android 9, CPU : CAS5 Quad Core, GPU: Mali470 MP3, 4GB DDR3, 64GB eMMC, wifi 5GHz, with memory support 64GB and Viewing Angle (HxV) - 178x178,VGA Input x 1 Input - 4 X HDMI 2.0, 2X USB 2.0, USB 2.0(Internal/Video Output - HDMI2.0 Audio Input Line L/R Audio Output Headphone, Optic SPDIF, External Control - RS232, Ethernet(RJ-45), External Sensor RJ12 and Infrared IR Technology, Any Touch with Finger gloved hand or Pointer,Supported OS &amp; Application - Windows 7, Windows 8, Windows 10, Vista, XP, MAC, OS, Linux, Android Up to 10 Point multi - touch and Viewing angle - 178/178 with Protective Glass Anti Glare Surface/Shatterproof film attached,USB Type A Connector x 1 for touch panel with Inbuilt OPS Slot with Digital Signage Software Inbuilt OPS Slot PC and Digital Signage Software are from the same OEM. All the offered solution It should be a single oem Solution.</p>	1		
10	Floor Carpet	<p>Providing and placement Floor carpet :- The flocked textile floor capat Approx 750 Sqmtr covering of 100% Nylon 6.6 face fiber completely water proof resilient backing. The flooring should be Anti static with thickness of 4.3 mm and approximate weight of 1.8 k.g./sqm of roll form. The carpet should be completely stain resistant and of a density approx. 80 million fibers/sq.mtr (70 million fiber/sq.yd) in the width of 2 mtr .The floor covering should have Fire Test EN-13501, Appearance Retention Hexapod ISO 140-8, Friction Slip Resistance Test EN 14041 Class DS with resilient waterproof backing, anti allergic which is certified by British allergy foundation, LOW VOC Certificate. The carpet should have permanent static contro. The work should be carried out by the authorized installer of the Company in India. Carpet should be laid on zero leveled surface. Carpet should be stick with SR 998/ Floor Fix on the floor-Approved make Forbo</p>	750 (Sqmtr)		
11	Table for Green Room and back stage arrangement room	<p>Providing and placement Work desk :-The Work 4020 size shall be 1200 Width x 600 Depth x 740 Height . The top shall be made from 25 mm thick pre- laminated board . All the edges are sealed with 2 mm thick PVC edge band all around . Side panels shall be made from 25 mm thick pre-laminated particle board . All the edges are sealed with 2 mm thick PVC edge band on the user side and 0.8 mm on the top and bottom side .The side panels have 2 glide screws each for levelling of the desk. Modesty panel shall be made from 18 mm thick pre- laminated particle board . All the edges are sealed with 0.8 mm thick PVC edge band all around. Freestanding Pedestal shall be made from 18 mm pre- laminated particle board with a combination of 2 mm and 0.8 mm PVC edge band on all the exposed surfaces as per requirement . The drawers are provided with suitable slides for smooth operation . All the pedestal drawers are centrally locked with a single key .Drawer slides are of Hettich.</p>	10		S



12	Visitor chair for green room	<p>Providing and placement visitor chair :- The chair seat assembly should be made up of 1.2 ±0.1cm. thick hot-pressed plywood , upholstered with fabric upholstery covers and moulded Polyurethane foam. SEAT SIZE: 47.0 cm. (W) x 48.0 cm. (D) BACK ASSEMBLY: The back assembly should be made of powder coated (OFT 40-60 microns) tubular frame of 0 2.54 ±0.03cm. x 0.2 ±0.016cm. thk. MS ERW tube designed with contoured lumbar support for extra comfort. The back should be upholstered using double layer spacer mesh fabric with high tenacity yarn. BACK SIZE : 46.5 cm. (W) x 60.5cm. (H) HIGH RESILIENCE (HR) POLYURETHANE FOAM: The HR polyurethane foam should be moulded with density =45+/-2 kg/m3 and hardness load 16 ± 2 kgf for 25% compression. ARMRESTS: The one-piece armrests should be injection moulded from black Co-polymer Polypropylene. TUBULAR FRAME: The powder coated (DFT 40-60.microns) tubular frame should be cantilever type &amp; made of Ø2.54 ±0.03cm. x 0.2 ±0.016cm thick M.S.E.R.W. TOOverall Dimensions of Chair Seat Height - 46.5cm. Height - 93.5cm. Width &amp; Depth of Chair as measured from pedestal - Width-61.0 cm and Depth-64.5 cThis product should be certified by Indoor Advantage GOLD &amp; GREEN PRO.</p>	24		
13	Coffee wooden table for Dias	<p>Providing and placing wooden Center table :- The table size :- 1200mm (W) x 600mm (D) x 455mm.(H) The top 18mm made of high-density plywood and a rubber wood underframe, this clean design free of unnecessary details makes it easy to maintain. The Legs 80X80 Top Side 40X40 Bottom Side Support 45x25mm &amp; 8 Pcs Bolt &amp; Nut Vintage era inspired colour and design, with curved legs and a walnut finish, that adds a classic charm to the space.OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB)</p>	3		
14	Dias chair wooden high back Model - (Blist)	<p>providing and placement dias Wooden chair :- The chair Made with sheesham Solid Wood and Seat and back with cushiond .OEM shall have ISO 9001:2015, ISO 45001:2018 and ISO 50001 :2018 certificate from The National Accreditation Board for Certification Bodies (NABCB)</p>	6		
15	Wooden podium with mic system	<p>Providing and placement of wooden podium with mic system. The podium make with seashm wood duly customised with reading table slight slant with wood finish colour with storage shelves, wrist rest, paper stope with inbuilt sound system size 44' presenter side height 44'</p>	2		